DWG. SCALE:1 PLUT SCALE: 3/16=1 (D) 8 6 (14.75 [374.65]) D • • 1/2" THK x 3" WIDE - LEAD 11 11 111 11 (3.00 [76.20]) SEE DETAIL 1 (4.00 [101.60]) 16 GA. (.0598) ASTM A569 PARTIAL INSIDE STATION VIEW PARTIAL WALL SECTION NOT TO SCALE NOT TO SCALE NOTE: В 1- LEAD LINED PANELS SHALL BE CONSTRUCTED FROM SINGLE UNPIERCED SHEET. FREE OF OXIDE INCLUSIONS, FISSURES, VOIDS AND ALL OTHER DETRIMENTAL DEFECTS. MATERIAL SHALL BE LEAD GRADE "C" TO COMPLY WITH FEDERAL SPECIFICATION -QQL201. HUTCH SHALL MEET ALL APPLICABLE FEDERAL, STATE AND LOCAL RADIATION GUIDE LINES: NBS HANDBOOK 111 AND 114. ANS N43.2 AND DOE ORDER 5480.11 DETAIL 1 DETAIL 2 A2473300 Α 6/4/96 D. SHU 6/6/96 6/6/96 T. KUZAY 6/6/96 J. CHANG H0 MONOCHROMATIC BEAM CHANG/ CORCL ESTA/96 EXPERIMENTAL STATION S-LABYRINTH MODIFICATION J. CHANG 6/6/96 D P41050903-720200-00 8